STATEMENT OF WORK (SOW)

FOR THE
REBUILD OF THE
AAV
VIEWER, NIGHT VISION

AN/VVS-2(V)1A

NSN 5855-01-096-0871

# STATEMENT OF WORK FOR THE REBUILD OF THE AAV VIEWER NIGHT VISION NSN 5855-01-096-0871

# Table of Content

<u>Title</u>	<u>Page</u>
Scana	1
•	1
	1
, .	1
Military Standards	1
Other Government Documents and Publications	1
Industry Standards	2
Requirements	2
General Tasks	2
Detailed Tasks	3
Phase I-Rebuild	3
Phase II-Inspection, Testing, and Acceptance	3
Phase III- Packaging, Handling, Storage, and	3
Transportation (PHS&T)	
Configuration Management	4
Government Furnished Equipment (GFE)/Government	4
Furnished Materiel (GFM)	
Contractor Furnished Materiel	4
Quality Assurance Provisions	4
Report/Documentation	5
	Scope Background Applicable Document Military Standards Other Government Documents and Publications Industry Standards Requirements General Tasks Detailed Tasks Phase I-Rebuild Phase II-Inspection, Testing, and Acceptance Phase III- Packaging, Handling, Storage, and Transportation (PHS&T) Configuration Management Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) Contractor Furnished Materiel Quality Assurance Provisions

# STATEMENT OF WORK FOR THE REBUILD OF THE AAV VIEWER NIGHT VISION AN/VVS-2(V)1A NSN 5855-01-096-0871

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW), along with Engineering Drawing SM-D-771480-1 CAGE 80063, and TM 11-5855-249-23&P establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor in the rebuild of the AAV Viewer, Night Vision AN/VVS-2(V)1A to Condition Code "A". Condition Code "A" is defined as "serviceable/ issuable without qualification, new, used, repaired or reconditioned materiel which is serviceable and issuable to all customers without limitations or restrictions". The AAV Viewer Night Vision, AN/VVS-2 (V)1A is identified by National Stock Number (NSN) 5855-01-096-0871.
- 1.1 <u>BACKGROUND</u>. Rebuild is defined as that maintenance technique to restore an item, to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through complete disassembly of the item; inspection of all parts or components, repair or replacement of worn or unserviceable parts using original manufacturing tolerances and/or specifications and subsequent reassembly of the item.
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Standards

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

MIL-STD-129 DoD Standard Practice for Military Marking

2.2 Other Government Documents and Publications

DoD 4160.21-M Defense Materiel Disposition Manual

TM 2350-45 DMA Standard Procedures

TM 11-5855-249-23&P Unit and Direct Support Maintenance Manual,

(Including Repair Parts and Special Tool List and Depot Maintenance Repair Parts) for Viewers,

Driver's Night Vision

Engineering Drawing

SM-D-771480-1, CAGE 80063

Viewer, Night Vision An/VVS-2 (V) 1A

DoD 4000.25-1-M Military Standard Requisitioning and Issue

Procedures (MILSTRIP)

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems-Requirements

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standards for Configuration

Management

Copies of Military Standards and Specifications are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other Government documents and publications requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawing, if applicable, shall be obtained from Supply Chain Management Center, Attn: (Code 583-1), 814 Radford Blvd., STE 20302, Albany, Georgia, 31704-0320, commercial telephone number (229) 639-6476 or DSN 567-6476.

# 3.0 Requirements

- 3.1 General Tasks. In fulfilling the specified requirements, the contractor shall:
- a. Provide materiel, labor, facilities, and services necessary to troubleshoot, test, diagnose, engineer, integrate, install, rebuild, and calibrate as required to make the AAV Viewer Night Vision, AN/VVS-2 (V) 1A, fully operational. Upon completion of the rebuild, the subject equipment shall be Condition Code "A".
- b. Conduct final-on-site testing which the Marine Corps Systems Command (MCSC) (AFSS-AAV), Albany, Georgia representative may witness at his/her discretion.
- c. The contractor shall be responsible for all structural, electrical, and mechanical requirements associated with the rebuild of the AAV Viewer Night Vision specified in TM 11-5855-249-23&P, TM 2350-45, and Engineering Drawing SM-D-771480-1, CAGE 80063.

- d. Ensure each AAV Viewer Night Vision meets the configuration of Engineering Drawing SM-D-771480-1, CAGE 80063.
- e. All mandatory replacement parts identified in TM 11-5855-249-23&P shall be replaced 100%. Economical replacement parts may be reused if they meet the applicable inspection requirements in TM 2350-45. Each part shall be disposed of in accordance with DoD 4160.21-M.
- 3.2 <u>Detailed Tasks</u>. The following tasks describe the different phases for the rebuild of the AAV Viewer Night Vision.
- 3.2.1 Phase I Rebuild. The contractor shall receive the AAV Viewer Night Vision for rebuild. The contractor shall then disassemble the AAV Viewer Night Vision into components and conduct the rebuild process. The contractor shall rebuild components in accordance with the requirements in TM 11-5855-249-23&P, and this SOW. The contractor shall be responsible for supplying all equipment, tools, test equipment, and materiel's to conduct this effort. The contractor shall be responsible for the integration and assembly of all components. The configuration identification for the AAV Viewer Night Vision is defined by the specifications annotated on the current revision level of Engineering Drawing SM-D-771480-1, CAGE 80063. Upon completion of the rebuild, the AAV Viewer Night Vision shall be in condition code "A". A Rebuild Data Plate shall be installed centered in the rear below the item identification plate. The rebuild data plate shall contain the following: (REBUILT BY:), (INSPECTED BY:), and (DATE REBUILT:) The Plate shall be no more than .008 in thickness, "2 3/4"in length and 3/4"in height.

# 3.2.2 Phase II - Inspection, Testing, and Acceptance

a. Inspection, testing, and acceptance of the AAV Viewer Night Vision shall be conducted in accordance with TM 11-5855-249-23&P, and ANSI/ISO/ASQC Q9003-1994. The contractor shall correct any deficiencies discovered.

#### 3.2.3 Phase III- Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for the application of preservation and packaging for item(s) being repaired under the terms of this statement of work. Items scheduled for long-term storage, or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD 2073-1D, Method 42. Items scheduled for domestic shipment, for immediate use, or short-term storage shall be to level "B" requirements.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for the shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping of the subject equipment to and from the contractor.

#### 3.3 Configuration Management

- a. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. Procedures or materials contained in manuals, standards, and instruction or engineering drawing/documents define the item's characteristics. If deemed necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing RFDs.
- b. The creation and submission of RFDs shall be accomplished using MEARS CREATE software, which resides at a secure web site, <a href="https://mearsweb.redstone.army.mil">https://mearsweb.redstone.army.mil</a>. For the purpose of gaining access to the web site, the contractor shall request user-id and password privileges from the Requiring Office identified in Block 6 of the applicable Contract Data Requirements List. The contractor shall direct technical or functional questions concerning usage of MEARS CREATE software to the Requiring Office for guidance. The contractor shall notify the Requiring Office by electronic mail when completed MEARS RFDs are ready for formal submission.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature on an annual basis to establish a chain of custody and property responsibility for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD 1348 to Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320, or faxing to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiels as required in the performance of this SOW through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP) Chapter 11 provides guidance to the contractors on the requisitioning process. The decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

#### 3.6. Quality Assurance Provisions

3.6.1 The performance of the contractor's quality of work performed, materiel provided and documents written shall be subject to in-process review and inspection by the MCSC (AFSS-AAV), Albany, Georgia representative during contract performance. Inspection may be accomplished at any work location. The MCSC (AFSS-AAV), Albany, Georgia representative shall be permitted to observe the work/tasks accomplishment and/or to conduct inspections at any reasonable hour. Acceptance Tests shall be held in-plant. The MCSC (AFSS-AAV), Albany, Georgia representative requires, at a minimum, two weeks notification of acceptance test to allow for sufficient time for MCSC (AFSS-AAV), Albany, Georgia representative to witness acceptance, if he or she desires. Inspection by the MCSC (AFSS-AAV), Albany,

Georgia representative of all acceptance tests, materiels and associated lists furnished hereunder does not relieve the contractor from any responsibility regarding defects or other failures to meet the SOW requirements which may be disclosed prior to final acceptance.

- 3.6.2 The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems-Requirements. The contractor's work shall be subject to in-process reviews and inspections for compliance with these procedures and standards by MCSC (AFSS-AAV), Albany, Georgia representative. Noncompliance with these quality assurance procedures resulting in degraded quality of work may result in a stop-work order requiring action by the contractor to correct the work performed and to enforce compliance with quality assurance procedures or face contract termination. Notwithstanding such inspection, it shall be the contractor's responsibility to ensure that the entire system meets the performance requirements of this SOW.
- 4.0 <u>Reports</u>. All reports deliverables shall be submitted in hard copy to Marine Corps Systems Command, Attn: (AFSS-AAV), 814 Radford Blvd., Suite 20343, Albany Georgia 31704-0343, unless directed otherwise in a Contract Data Requirements List.
- 4.1 <u>Monthly Production Status Report</u>. A monthly Production Status Report shall be submitted summarizing the progress and status of the AAV Viewer, Night Vision AN/VVS-2 (V) 1A.

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the tens for reviewing instructions, searching existing data sources, gathering and mainteining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden. to Department of Defense, Washington Haadquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suits 1204, Arkington, VA 22202-4302. Respondents should be sware that notwithstanding any other prevision of law, no person shall be subject to any penalty for fairing to comply with a collection of information if it does not display a currently valid DMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

CONTRACT LINE I	TEM NO.	B. EXHIBIT	•	C. CATEGORY:		OTHER	×				
SYSTEM/ITEM		<u></u>	E. CONTRACT/PR	TOP	TM	OTHER_ F. CONTRAC					
	er, Night Vision		E. COMPRACTIFIE			i. comina	o i dii		•		
ATA ITEM NO.	2. TETLE OF DATA ITEM					3. SUBTITLE					
A 001	DROE	NI ICTION	I OTATIC DE	DODT		м	anthin Production S	totus D	ADOFT		
AOO1 AUTHORITY (Data Acquisi		OCTION				onthly Production S	iaius N				
	MGMT-81255		5. CONTRACT REFERENCE SOW 5.1				PMM 143/AAVS				
D 250 REQ	9. DIST STATEMENT	10. FREQUENCY			l l		14. DISTRIBUTION				
LT	REQUIRED		ITHLY		Blk 16				b. COPIES		
APP CODE		11. AS OF DATE		13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	Draft	Fin			
DELEABLE	A	<u> </u>		<u> </u>			D) () ( 1/0/4 A 7/0		Reg		
ock 4 Contra	actor format is au the deliverable.	thorized.	Delete the fol	lowing para	graphs	as they	PMM 143/AAVS SCMC Code	0	1	U	
					U.Z.Y		(576-2)	0	1	n	
	0.2.1.d use job o						(310 2)	+	1		
paragraph 1 laster work !	0.24 and 10.27 re Schedule Line Ite	eplace "C m Numb	LIN" with "Cer)	CLIN or MV	WSLIN'	•					
ocks 10 and st submission	12. The report sh n shall be 30 days	nall be sul s after the	bmitted on the contract awa	tenth of eard.	ach mor	th. The					
ne production dresses Hoff	n Status Report sh manRE@matcon	nall be tra 1.usmc.m	insmitted via E iil or Cannond	E-Mail to the r@matcom.	e follow .usmc.n	ing il					
istribution St	atement A: Appr	oval for 1	oublic release.	distribution	a is unli	mited.		1		inal Repro O	
							<u>L</u> .	†			
						•.,•		1.			
							· <del>· · · · ·</del>	1			
								<del> </del>	-		
									╁┈┈		
								1			
										<u> </u>	
									ļ	<u> </u>	
								<del>                                     </del>	<u> </u>	├	
								-	1	<u> </u>	
									-	-	
								+		<del> </del>	
								1	-		
									1		
									1	$\vdash$	
								<del> </del>	1	<del> </del>	
								+ -	$\dagger$	<del>                                     </del>	
										1	
							15. TOTAL	- (	) 2	1	
. PREMARED BY			H. DATE	MP	PROVED B	Y	<del>- 1</del>	J. DA		<u> </u>	
	70 C				<b>、</b> (	ハノ	<u> </u>			200	
Land	LK6-	<u></u> :	8.26	102				OLY	43	ZUU	

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

Designed using Perform Pro, WHS/DIOR, Aug 98

The public reporting burden for this collection of information is estimated to everage 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington At 22202-4302. Respondents should be aware that notivithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not deplay a currently valid DMB control number.

Please DU NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contract/PR No. listed in Block E.

	r Night Vision			TDP TM	OTHER	X	_		1	1
D. SYSTEM/ITEM		E. CI	ONTRACT/PR N	10.	F. CONTRA	ACTOR			$\neg$	
I. DATA ITEM NO.	2. TITLE OF DATA ITEM	OF DATA ITEM 3			1. SUBTITLE	TITLE				
B001		Request For	Configuration Mar							
I. AUTHORITY (Data Acquisit	tion Document No.) CMAN-80640C	5. COI	NTRACT REFERENCE	SOW 3.3	_	6. REQUIRING OFFICE  MCLBA		18. ESTIMA TOTAL P		
7. DD 250 REQ 8. DIST STATEMENT		18. FREQUENCY	IZ. DATE OF FIRST SUBMISSIO	•	14. DISTRIBUTION					
NO	REQUIRED	ASRI	T I.	ASREQ						
8. APP CODE N/A	Α	11. AS OF DATE N/A		13. GATE OF SUBSECUENT SUBMISSION N/A		a. Adoressee	Draft	Fir Reg	rial Repro	
16. REMARKS				N/A		MCLBA (583-1)	0	1	0	İ
BLK 4: Accom or CCITT Grow 600 dpi. BLKs 10 & 12: nonconforming documentation.	: RFDs shall be material which o	to the text files Group 4 files submitted to o does not meet	s shall be in s shall have obtain author prescribed	n a MICROSOFT a minimum dens prization to delive configuration	r					
				nail to the followi						
Office.	1115 4501 14 4114 ;	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ed by the Requiri						
Questions conc the Requiring ( 567-6424/25 or	erning MEARS of Office. POC is D r email to: smitho	CREATE V8. oug Smith and ic@matcom.u	1 functiona d can be con smc.mil	llity shall be direct ntacted at DSN	eted to					
							-			1
Distribution Sta	atement A: Appro	oved for publi	ic release. I	Distribution is un	limited.				-	
							· · · · · —			
							-		+	
										,
							1		╁┼┤	\ 
							ļ			
									+-	
								-		
G. PREPARED BY			I. DATE	-LAPPROVER'S	<u>*</u>	15. TOTAL	J. DAT		1 0	
Niane.	R. B. (1)		EP 23	2002 ) EVIOUS EDITION MAY BE	8		SEP	23	2002 Pages	